Mountain Trail Water Main Project 12-inch DIP Mountain Trail Avenue Sierra Madre Blvd. to Mira Monte Avenue PROJECT NO. 14-01



ADDENDUM 1

-		-	17	
1)	Δ	181		н
v		١.	L.	L

April 1, 2014

TO:

Prospective Bidders, Project No. 14-01

Mandatory Pre-bid Meeting Attendees Only

Dodge Green Sheet

FROM:

Bruce Inman, Director of Public Works
REVISED BIDDING INFORMATION

RE:

DECRANCES TO CONTRACTOR DECITES

RESPONSES TO CONTRACTOR REQUEST FOR

CLARIFICATION

The Plans and Specifications for the Mountain Trail Water Main Project/12 inch DIP Project 14-01 are hereby amended and revised as follows:

Detail 7, Sheet 4 of 9 of the Plans is hereby revised as follows:

- 1.) Existing asphalt pavement section is 6 inches.
- 2.) There is no base material layer, structural section is 6"AC over native soil.
- 3.) Replacement asphalt section shall be 6 inches of AC.
- 4.) Backfill over bedding material may be native (cobbles 6" or greater removed) or CMB.
- 5.) Asphalt repair shall be in the form of a t-cut. Use 12" by 1" deep cold-plane each side of trench cut.

The Date of the Bid has been changed:

- 6.) Sealed bids will be received until Tuesday April 22, 9:00 AM at Sierra Madre City Hall, 232 West Sierra Madre Boulevard, Sierra Madre, CA 91024. Bids will not be received after 9:00 AM; late bids will be rejected.
- 7.) Bids will be opened publically at 9:10 AM Tuesday April 22nd in the City Council Chamber, Sierra Madre City Hall.

A signed copy of this Addendum must be attached to the Bid. Failure to attach a copy of this addendum will render the bid null and void.

End of Add	End of Addendum 1.		
Bru lina	4/1/14		
Bruce Inman, Director of Public Works	Date		
Received and acknowledged			
Bidder	Date		